

IPL group distributor catalogue



IPL group recommend the installation of Xlast bollards in RETENTION SYSTEM™ sockets.

















Stiffness tests

Resistance testing

Apparent strength tests

X-last[®], the safest and most durable bollard

After several years of research, Sabacaucho presents a new concept in bollards: the X-last ® bollard.

Made of a new material, with exclusive properties, the **X-last**° **bollards have maximum resistance and flexibility**, which convert them into the safest and most durable bollards.

Thanks to their stiffness, they fully comply with the function of preventing vehicles from entering prohibited zones; but it is their flexibility which make them virtually impossible to be broken, and after being knocked down, **they return to their original position and form.**

These bollards cannot be broken or dented and are not affected by rust... and we can make them in attractive customised designs in record time, as shown with our LookArT® proposals.

X-last® bollards are guaranteed to last practically a lifetime and do not need to be replaced. That flexibility makes them **extra safe compared to other metal bollards** that are anchored to the ground and can cause serious harm to vehicles and people.

X-last®, the safest, most durable, flexible and resistant bollard.

Our objective is to help you to redesign your streets with X-last® and make them safer, more practical and more modern and attractive.













X-last, accessibility

Our products are in **accordance with the requirements for the accessibility of the public road network** (garbage dump) and the public places. We conceive the bollards geometry which (Heights and Diameters) is in compliance with the current abacuses and there design integrates reagent covers allowing the contrast of the product in its environment in order to increase their visibility. Information in conventional writing and/or Braille can be integrated during the molding on the said tactile parts of the bollards to facilitate the accessibility to all in our environment.

Access to the emergency vehicles

The shape memory bollard X-last ® minimizes the damages caused in the human body during impacts while perfor - ming perfectly the function to prevent a vehicle of tourism from parking on a restricted zone. Due to their flexibility and resistance, they also allow the fire trucks to pass above without being obliged to remove them before or to change them after intervention.

The X-last [®] bollard is the safest, the most sustainable, the most flexible and most resistant bollard of the market.















X-last[®], the ecologic option

The X-last® bollard has 50% less impact on environment than the traditional metallic bollards.

For several years Sabacaucho, integrate as additional technical criterion **the sustainable development** and this from the phase of development of every product.

In our trial of development of product, besides the functional, aesthetic criteria, legal and specific characteristics imposed by every customer, we analyze the concept, the materials, the manufacturing process, and the evolution of the characteristics during its useful life expectancy. Also we investigate the alternatives of elimination of this product while looking for the best compromise between cost, services (performances) and protection on the environment.

The fruit of this work, brought to us to the realization of the X-last® Bollard which generates 50 % less impact on the environment than the conventional metallic bollards, according to the study of the **ACV** (**Analysis of the Life Cycle**) realized by the European foundation **INASMET-Tecnalia**.















X-last, safety

X-Last® bollards save lives.

The Applied research automotive center (**IDIADA Automotive Technology**) has realized impacts test with X-last [®] bollards and metallic ones.

At a speed of 40 Km/h, which is a most common speed limit in cities centers, metallic bollards cause irreversible injuries on persons.

There is an international criterion which is used to evaluate injuries caused on the head of a person after impacts. This criterion is called **HIC** (Head Injury Criterion).

The maximum value beyond which there are irreversible in juries is **1000**.

At 40 km/h, the test made in IDIADA research center have proved that the HIC criterion obtained after the impact of a human head on a metallic bollard is 4600.

This is almost 5 times the international limit.

At the same impact speed, the results with the X-Last® bollard are spectacular, because the HIC criterion obtained after the impact of a human head is 460.

This is less than half of the international limit and 10 times less than the results on the metallic bollards.

















X-last[®], technology

In SABACAUCHO we invest in Research Development & Innovation, developing innovative solutions.

Founded in 1979, we solve problems related with flexibility, strength, sliding, abrasion, grip, elasticity, etc.

We create and provide solutions with the very highest resis - tance against tear, compression, breakage, abrasion, impact, humidity, water, dissolvent's, ageing, high temperatures, hy - drocarbons, etc., in accordance with orders and/or specifications.

We make your problem our problem, and we solve it.

Result of this philosophy, SABACAUCHO has designed an ex - clusive formula, X-last [®], a polymer composite including rein - forcing nanoparticles, spectacular.

The X-last ® formula obtains rigidity as high as that of a rigimer but with enough flexibility to be able to tolerate the impact of a car without breaking.

The quality and environmental management system of SABACAUCHO S.A.U, is certified in accordance with the ISO 9001:2008 and ISO 14001:2004 standards.

If a solution is possible, SABACAUCHO will find it. With agility. Guaranteed results.
















X-last, designs

We offer you all models with different surface finishes. Being the producers, we can realize customized bollards, with specific designs, such as with the coat of arms of your city or company. Special finishes are available or, if you prefer, we can produce your own custom exclusive type.

Our objective is to help you to redesign our streets with X-last® and make them safer, more practical and more modern and attractive.

Colours: The whole RAL colour range.

Finishes: Please enquire (metallic, matt, glossy). Possibility of customizing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings: With formwork base (removable), in formwork and attached directly to the ground or using screws with a metal or chemical plug.











Sealed in concrete

version

н



www.sabacaucho.com www.x-last.com



Babyk

ColorsThe whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi -zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.




RETENTION SYSTEM™

Dimensions in mm

Α	Н
100	900







≺ed premium rinisning example



www.retention-system.com

Screwed















Red premium finishing example (RAL 3020)



Baliza

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customizing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.





Α	н
100	660
100	770
100	900
100	1050
100	1200





Screwed

Sealed in

concrete





















Baliza D80

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable) or atta ched directly to the ground.




RETENTION

Dimensions in mm

A	Н
80	800
80	900
80	1000
80	1100
80	1200

























www.x-last.com



Sealed in concrete version

Baliza Reflector

Screwed

Red premium finishing example (RAL 3020)

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coat-ofarms. Option of applying reflective or metallic tape.


Types of Fastenings

With socket (removable), atta ched directly to the ground or using screws with a metal or chemical plug.



Dimensions in mm

Α	В	Н
100	50	660
100	50	770
100	50	900
100	50	1050
100	50	1200















www.retention-system.com








Sealed in concrete



www.sabacaucho.com www.x-last.com

> Grren premium finishing example (RAL 6024)



Baliza D150 Sign

Screwed version

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	Н
400	150	1330







www.retention-system.com

















Boule

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customizing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.




Dimensions in mm

Α	Н
100	800
100	900
100	1050
100	1200



Screwed version









www.retention-system.com
















Bicolor excellence finishing



Boule D80

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable) or atta ched directly to the ground.




RETENTION **YSTEM**

Dimensions in mm

Α	Н
80	800
80	900
80	1050
80	1100
80	1200

























Green premium finishing example (RAL 6024)



Sealed in

concrete version

Class

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable) or attached directly to the ground.




Dimensions in mm

I	Α	В	С	н
	100	115	150	900











www.retention-system.com

















Gola

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	Н
110	150	800





Yellow excellence finishing example (RAL 1016)



www.retention-system.com

















Gola Reflector

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	С	Н
110	150	100	800





Grren premium finishing example (RAL 6024)



www.retention-system.com















Black premium finishing example



Gorge

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



Dimensions in mm

Α	Н	
100	800	
100	900	
100	1050	
100	1200	





Sealed in



www.retention-system.com

















Gorge D80

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable) or attached directly to the ground.



Dimensions in mm

A	н
80	800
80	900
80	1050
80	1100
80	1200

























Kreta

Black premium finishing example

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	н
100	150	800







www.retention-system.com

















Krola

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable) or attached directly to the ground.



Dimensions in mm

Α	В	Н
110	150	970





Sealed in concrete version



Metalized bicolor excellence finishing example (Black + copper metalized)



www.retention-system.com















www.x-last.com



Sealed in concrete

version

н

Kuay

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



Dimensions in mr

Α	Н
100	1000





Screwed



Gray metalized steel exellence finishing example



www.retention-system.com
















finishing example



Lookart® Diamond

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.


Types of Fastenings

With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



Dimensions in mm

A	В	С	Н
110	90	150	900





www.retention-system.com

















Nantes

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customizing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable) or attached directly to the ground.






Dimensions in mm

	Α	В	Н
ĺ	90	100	1000







Maroon premium finishing example (similar to RAL 3011)



www.retention-system.com















Black premium finishing example



Nuvo

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi zing them with the city's coatof-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



Dimensions in mm

Α	В	Н
160	150	1000





Sealed in concrete

version







www.retention-system.com

















Nuvo Reflector

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	Н
160	150	1000





Α

Sealed in concrete

version



Black premium finishing example



www.retention-system.com















finishing example



Nuvo Signal

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	Н
170	150	1030





www.retention-system.com

















O-bus

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi - zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings


With socket (removable), attached directly to the ground or using screws with a metal or chemical plug.



RETENTION SYSTEM™

Dimensions in mm

Α	В	Н
110	150	1400



Transluent white excellence finishing exemple









www.retention-system.com









Sealed in concrete version

Wat

Colors

The whole RAL color range.

Finishes

Please enquire (metallic, matt, glossy). Possibility of customi -zing them with the city's coat-of-arms. Option of applying reflective or metallic tape.

Types of Fastenings

With socket (removable) or attached directly to the ground.




RETENTION SYSTEM™

Dimensions in mm

Α	В	Н
90	100	980





н







www.retention-system.com







